

**Amendments to the Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application

1. (Currently Amended) A communication apparatus comprising:

a first-memory for storing for a plurality of users a) passwords; and b) names or e-mail addresses;

an input panel for designating e-mail or facsimile;

a controller for

a) if e-mail is designated:

extracting a name or an e-mail address corresponding to an entered password; and

b) if facsimile is designated:

extracting a default name or a default e-mail address;

a generator for

a) if e-mail is designated:

generating an e-mail which includes or to which is attached inputted image data said e-mail including a designation that it is from said extracted name or e-mail address;

b) if facsimile is designated:

generating a facsimile based on said inputted image data which includes or to which is attached said extracted default name or said extracted default e-mail address;

a transmitter for

a) if e-mail is designated:

transmitting the e-mail so that the extracted name or the extracted e-mail address is available to a recipient;

b) if facsimile is designated:

~~transmitting the facsimile to the recipient, sender information of a plurality of users, said sender information including unique information corresponding to the users;~~

~~a transmitter for transmitting an electronic mail to a destination terminal via a network, the electronic mail including a header and a file which is attached to the electronic mail; and~~

~~a controller operable to~~

~~compare information input to the controller with the unique information, and~~

~~if the input information matches a piece of the unique information corresponding to one of the users, extract a piece of the sender information corresponding to the one of the users, and put the extracted piece of the sender information in the header of the electronic mail.~~

2-14. (Cancelled)

15. (New) A communication apparatus according to claim 1, wherein if e-mail is designated, the e-mail is transmitted with the inputted image data attached so that said extracted name or e-mail address is available to the recipient and viewable by the recipient without opening the attached inputted image data.

16. (New) A communication apparatus according to claim 1, wherein e-mail is designated by inputting said recipient's e-mail address.

17. (New) A communication apparatus according to claim 1, wherein facsimile is designated by inputting said recipient's telephone number.

18. (New) A method of communication, said method comprising the steps of:  
determining whether e-mail or facsimile is designated;  
if e-mail is designated, then performing the steps of:

a) extracting a name or an e-mail address corresponding to an entered

password;

- b) generating an e-mail which includes or to which is attached inputted image data said e-mail including a designation that it is from said extracted name or e-mail address;
- c) transmitting the e-mail so that the extracted name or the extracted e-mail address is available to a recipient;

if facsimile is designed, then performing the steps of:

- d) extracting a default name or a default e-mail address;
- e) generating a facsimile based on said inputted image which includes or to which is attached said extracted default name or said extracted default e-mail address;
- f) transmitting the facsimile to the recipient.

19. (New) A communications method according to claim 18

wherein if e-mail is designated, the e-mail is transmitted with the inputted image data attached so that said extracted name or e-mail address is available to the recipient and viewable by the recipient without opening the attached inputted image data.

20. (New) A method of communication according to claim 18

wherein e-mail is designated by inputting said recipient's e-mail address.

21. (New) A method of communication method according to claim 18

wherein facsimile is designated by inputting said recipient's telephone number.